

Alcohol and Other Drug Screen

Contractor Declaration

Contract Organisation	
Contract employee - Name	
Contract employee – DOB	

Please confirm by ticking each box	
<input type="checkbox"/>	Sample valid within 28 days prior to attending General Site Induction
<input type="checkbox"/>	Sample collected by a certified collector, having being trained in to HLTPAT005 <i>Collect specimens for drugs of abuse testing</i> and in accordance with AS3547 <i>Breath testing Devices for Personal Use</i> and AS4308 <i>Procedures for Specimen collection and the detection and quantitation of drugs of abuse in urine</i>
Breath alcohol content sample	
<input type="checkbox"/>	Negative result. Results are acceptable as per WesCEF Drug & Alcohol Procedure (Section 7)
Other drug sample	
<input type="checkbox"/>	Urine test
<input type="checkbox"/>	Negative result, no further analysis required. Results are acceptable as per the threshold levels prescribed in AS4308 <i>Procedures for Specimen collection and the detection and quantitation of drugs of abuse in urine</i>
<input type="checkbox"/>	For any detected substances, confirmatory testing via GCMS analysis has been undertaken, prescription has been sighted and substances have been assessed to be consistent with declared medications.

Declaration of Officer on behalf of contracting company			
Name:		Signature:	
Date			

WesCEF Drug & Alcohol Procedure can be located at <https://csbp.com.au/contractorssuppliers/safety-resources>